

PCB SMT 清洗 材料 规格

清洗材料

成分	55%cellulose + 45%polyester
规格	50 gsm, 56 gsm, 68 gsm
品牌	德克/MPM
产地	中国
认证	dek,mpm,EKRA
包装	卷/箱
用途	清洗
标准	iso9001,sgs,rohs

特性

1. 高吸水性.
2. 优异的吸油能力 absorbenct 性能
3. 优异的 anti-dissolution 性能
4. 柔软, 易清洗
5. 符合环保要求

应用

- 1.High speed PCB 清洗, SMT 清洗
- 2.SMT 清洗 PCB 清洗

Machine model	Cleaning cloth			Internal paper (plastic) roll		
	Width(mm)	Length(mm)	External diameter(mm)	Width(mm)	Length(mm)	External diameter(mm)
MPM	445	10	56	455	19	24
DEK	520	10	56	530	19.5	22
SANYO	275	30	100	275	38	44
EKRA	400	8	46	390	12	16
MINAMI	270	7	46	270	12	16
PANASENT	358	12	66	360	38	44

清洗材料







YICHEN

DIGITAL PRODUCTS FACTORY



Our Team



Factory





Trade Assurance

**TRADE WITH CONFIDENCE,
CREDIBLE AND RELIABLE**

Your payment is protected 100% of the Trade Assurance Order Amount if the product quality is not to your satisfaction or if the order is not shipped on time.





About customer service

If your inquiry didn't be replied in time, maybe because of large amount of consulting, please wait patiently, or maybe system problems, your inquiry was lost etc. If the time is too long, Please contact other lights on customer service, or login back Wangwang, then consult, please forgive any inconvenient by this.



About after-sale

In the process of selling, if clients find quality problems in products, clients can note us, we'll take great care in performing this matter, the cost paid by us; if we find serious quality problems and can't be remedy, clients have right to return quality problems products to us, we must return the cost of the products.



About shipping

Sample lead time: 1-3 days; Mass order production: 7-12 days or negotiated . (By air or by sea depends on clients' choice)



Tel: 86-512-50313419
Mob: 86-15895659543
Fax: 86-512-57336236
Email: yc@yichenwipe.cn

[Contact Us](#)

[Go to the home](#)

WELCOME TO VISIT OUR FACTORY!