

55% 4000 + 45% 7000 SMT 4000 7000

4000 7000 4000 7000 4000 7000 4000 7000.
 4000 7000, **68gsm 55%** 4000 7000 **45%** 4000 7000

4000 7000
 4000: 4000 7000
 4000 7000: Spunlace / 4000 7000
 4000: 4000
 4000 7000: YCtek
 4000: ISO, SGS, RoHS
 4000 7000: Jiangsu, 4000 (4000)

- 4000:
1. 4000 7000 4000
 2. 4000 7000 4000
 3. 4000 7000 4000 4000
 4. OEM 4000 7000 SMT 4000 7000 4000 4000

4000 7000:
 DEK, MPM, KME, DEK, DANYO, 4000, EKRA, 4000, 4000 4000 4000 SMT 4000 7000 4000.

55% 4000 + 45% 7000 SMT 4000 7000 4000 7000

4000 4000	7000 7000	4000 7000 OEM 4000 7000	4000 7000	4000 ID	4000	4000 7000	4000	4000 7000
4901FU	7901FU	4000	19.69*(500mm)	1.0 "	2.36 "	33Ft(10M)	500 mm	4000
4902FU	7902FU	4000 QP541	15.62*(396mm)	1.0 "	2.2 "	26Ft(8M)	396 mm	4000
4903FU	7903FU	4000 551E	15.74*(400mm)	1.0 "	2.2 "	26Ft(8M)	400 m m	4000



