

**55%** 00 00 0 **45%** 00000 **Smt** 000-00-0-0 0 00 0000 0 0

00 00 00

|          |  |
|----------|--|
| 00       | 0 0 00 00 00 00 55% 0 45% 00000 Smt 000 00 0 |
| 00       | 55% 00 00 + 45% 00000                        |
| 00 00 00 | 0000 00 00 00 0000 00 0000 00                |
| 00       | 000 000                                      |
| 0        | 000  |
| 00       | 50gsm, 56gsm, 68gsm                          |
| 000      | 0 00 0 0 PVC 00 000                          |
| OEM      | 00, 00, 00 00                                |
| 00       | 000 0 00                                     |

00

1000. 00-0000-0-0-000 000000.
2. 00 0 0 00 00 absorbenct 0000 0 000 000 00.
3. 000 00, 00 00, 00 0000 000 00
4. 0000, 00 0 000 00 00 00 0000.
5. 00 00: 00 00 00, 000, 000 00, 00, 00 0 000 0 0 00, 0.

00 0000

GKG MPM, DEK, 0 00, EKRA, 0 0, 000, 00, 000, 0 0 000 SMT 00 00 000 0000 00 00 0...

00 0000 0 0 **SMT** 00 00 0

| Art.No | 00 00 (mm) | 00 00 (mm) | 00 ID(cm) | 0 00 (m) | 00 000           |
|--------|------------|------------|-----------|----------|------------------|
| 000    | 360        | 360        | 25.5      | 12       | CP-02            |
| 0 0    | 500        | 500        | 26        | 15       | Carboard         |
| EKRA   | 400        | 400        | 12        | 8        | 0000             |
| KME    | 480        | 480        | 38        | 18       | Carboard         |
| 0 00   | 270        | 260        | 38        | 15       | Carboard         |
| 000    | 280        | 280        | 38        | 8        | CP-02            |
| 00     | 360        | 350        | 38        | 28       | Carboard         |
| SAMTCH | 300        | 300        | 13.5      | 7        | 0000             |
| 00     | 260        | 280        | 20        | 20       | Plasyic/00 2side |

0 0 00 00 00 00 **55%** 0 **45%** 00000 **Smt** 000 00 0





# SMT Stencil Roll Material

55% wood pulp & 45% polyester




viscose & polyester / parallel



100% polypropylene




viscose & polyester / mesh






## Custom SMT Stencil Roll Specification



- A. Core Length
- B. Core Inner Diameter
- C. With Notch or not
- D. Roll outer diameter
- E. Material Width
- F. Material Length





## Trade Assurance

**TRADE WITH CONFIDENCE,  
CREDIBLE AND RELIABLE**

Your payment is protected 100% of the Trade Assurance Order Amount if the product quality is not to your satisfaction or if the order is not shipped on time.





#### About customer service

If your inquiry didn't be replied in time, maybe because of large amount of consulting, please wait patiently, or maybe system problems, your inquiry was lost etc. If the time is too long, Please contact other lights on customer service, or login back Wangwang, then consult, please forgive any inconvenient by this.



#### About after-sale

In the process of selling, if clients find quality problems in products, clients can note us, we'll take great care in performing this matter, the cost paid by us; if we find serious quality problems and can't be remedy, clients have right to return quality problems products to us, we must return the cost of the products.



#### About shipping

Sample lead time: 1-3 days; Mass order production: 7-12 days or negotiated . (By air or by sea depends on clients' choice)



**Tel:** 86-512-50313419  
**Mob:** 86-15895659543  
**Fax:** 86-512-57336236  
**Email:** yc@yichenwipe.cn

[Contact Us](#)  
[Go to the home](#)

**WELCOME TO VISIT OUR FACTORY!**