

55% 00-00 45% 000000 00 000, **Bule, 1/4** 00 00 00 00 00 00

1000. 00-00-0-0000 00: 55% 00 00 0 45% 000000

## 2000. **Features:**


- 0 00 0 0 00000
- 0000 0000 00
- 0-0-00000 0 0 00 00 00
- 00 00 00 0 00 0 0
- 0000 00 0 0000 0
- 00 00
- 00 0 0 00 00 00
- 00 0 000 (00 000000 00 00 00 0)

## 3000. 00 00000:

S0000 0000 00 uitable 00 00: Heidelberg, 00, 00000,  
0 00, KBA, 00 0000 0...

## 4000.00:

- 00 00 OffsetPrint 00 00 00 0 (0000)
- 00 00 OffsetPrint 00 00 00 0 (00)
- 00 00 OffsetPrint 00 00 00 0 (0000)
- 00 00 OffsetPrint 00 00 00 0 (00)
- 00 0000 00 (Perforated 0, 1/4 0, 00)





□□:

□□ □□ □□ □□ □□ □□ □□ □□ □□. □□ □□ □ □□ □□ □□ environment □□ □□□. □□□ □□ □□□ □□, □□□ □□□ □□ □□ □□ □ □□□ □□□□□□.

□□:

15-35days □□ □□ □□ □□, □□, □□□□□, □□□ RAILY □□ □□ □□□ □□ □□ □□.