55% celulosa + 45% poliéster Laminado no tejida SMT limpieza limpiar rodillo stencil

Detalles del producto

Material	55%Celulosa + 45% poliéster
Peso	68gsm
Tamaño	Como su demanda
Color	Blanco
Núcleo	Plástico/papel
MOQ	100 rodillos
Muestra	Muestra libre
Puerto	Puerto de Shangai

Característica

1. Alto absorbente
2. suavidad
3. resistente y anti-tire
4. Limpie y realice bien
5. anti-estática
6. el tamaño y el paquete se pueden modificar para requisitos particulares como su requisito
7. Conveniente a diversas máquinas de impresión de SMT

Aplicación

1. trapos sin pelusa en la industria electrónica y laboratorio purificado
2. fabricación de los equipos ópticos, producción ligera de la fibra
3. limpieza de la red industrial de acero de SMT de la impresión y equipos exactos que limpian
4. procesamiento de alimentos y área médica
5. mecánicamente fabricación

55% celulosa + 45% poliéster laminado no tejidas SMT limpieza Wipe plantilla rollo

SMT Stencil Roll Material

55% wood pulp & 45% polyester

viscose & polyester / parallel

100% polypropylene

viscose & polyester / mesh



YICHEN
DIGITAL PRODUCTS FACTORY

Our Team

Factory

HOW TO BUY
TRADE FLOW



CUSTOMERS NEED TO KNOW

About customer service

If your inquiry didn't be replied in time, maybe because of large amount of consulting, please wait patiently, or maybe system problems, your inquiry was lost etc. If the time is too long, Please contact other lights on customer service, or login back Wangwang, then consult, please forgive any inconvenient by this.

About after-sale

In the process of selling, if clients find quality problems in products, clients can note us, we'll take great care in performing this matter, the cost paid by us; if we find serious quality problems and can't be remedy, clients have right to return quality problems products to us, we must return the cost of the products.

About shipping

Sample lead time: 1-3 days; Mass order production: 7-12 days or negotiated . (By air or by sea depends on clients' choice)