

Substencil alto absorbente de SMT [Toallitas de limpieza](#)

Detalles del producto:

Material	55% pasta + 45% poliéster
Peso	56gsm
Tamaño	Como su demanda
Tipo	Rodillo
Uso	DEK, FUJU y así sucesivamente
Muestra	Muestra libre
Certificación	ISO9001, SGS, ROHS
Puerto	Shanghai

Característica:

1. generación baja de la partícula
2. ninguna sustancia extraíble
3. [Alto absorbente](#)
4. pureza y suavidad excelentes
5. fuerte y [durable](#)
6. los varios tamaños y patrones están disponibles

Aplicación:

Los trapos se utilizan especialmente en la plantilla de la limpieza, lata redundante en tarjeta de circuitos para mantener el tablero impecable en fábrica electrónica de SMT.

Tipo: rodillo o hoja

Base: corazones del papel y del plástico, con la muesca o no

Los trapos de limpieza del alto absorbente del substencil de SMT







Trade Assurance

**TRADE WITH CONFIDENCE,
CREDIBLE AND RELIABLE**

Your payment is protected 100% of the Trade Assurance Order Amount if the product quality is not to your satisfaction or if the order is not shipped on time.



About customer service

If your inquiry didn't be replied in time, maybe because of large amount of consulting, please wait patiently, or maybe system problems, your inquiry was lost etc. If the time is too long, Please contact other lights on customer service, or login back Wangwang, then consult, please forgive any inconvenient by this.



About after-sale

In the process of selling, if clients find quality problems in products, clients can note us, we'll take great care in performing this matter, the cost paid by us; if we find serious quality problems and can't be remedy, clients have right to return quality problems products to us, we must return the cost of the products.



About shipping

Sample lead time: 1-3 days; Mass order production: 7-12 days or negotiated . (By air or by sea depends on clients' choice)



Tel: 86-512-50313419
Mob: 86-15895659543
Fax: 86-512-57336236
Email: yc@yichenwipe.cn

[Contact Us](#)
[Go to the home](#)

WELCOME TO VISIT OUR FACTORY!