Spunlace non tissé 45% polyester 55% pâte de bois Lingettes de nettoyage industriel

détails du produit

Matériel	55% de pâte de bois + 45% de polyester
Taille	25cm * 37cm * 500pcs / roll
Couleur	blanc
Poids	56gsm
Emballage	4 rouleaux / carton
Échantillon	Libre
MOQ	12 Rouleaux
Port	Shanghai

Fonctionnalité

1. Pâte de bois et polyester mélangés selon des techniques de filage
2.Have forte capacité d'absorption d'eau et d'huile, et décontamination forte, non-poussière
3Tension forte, résistant à l'usure, peut être réutilisé

Application

Lingettes industrielles: telles que SMT, chiffon d'essuyage industriel pour PCB, principalement utilisé dans l'industrie électronique, la technologie de pulvérisation, l'Institut de recherche, le laboratoire; industrie de l'imprimerie, traitement des machines. Nettoyage de matériel de production alimentaire et pharmaceutique, esthétique automobile, instruments de précision, nettoyage de surfaces, etc.

Spunlace non tissé 45% polyester 55% pâte de bois Lingettes de nettoyage industriel

9690 63
Industrial Wipes
IAF SGS
YCtek®

YICHEN
DIGITAL PRODUCTS FACTORY

Our Team

Factory

HOW TO BUY
TRADE FLOW



CUSTOMERS NEED TO KNOW

About customer service

If your inquiry didn't be replied in time, maybe because of large amount of consulting, please wait patiently, or maybe system problems, your inquiry was lost etc. If the time is too long, Please contact other lights on customer service, or login back Wangwang, then consult, please forgive any inconvenient by this.

About after-sale

In the process of selling, if clients find quality problems in products, clients can note us, we'll take great care in performing this matter, the cost paid by us; if we find serious quality problems and can't be remedy, clients have right to return quality problems products to us, we must return the cost of the products.

About shipping

Sample lead time: 1-3 days; Mass order production: 7-12 days or negotiated . (By air or by sea depends on clients' choice)