YCtek SMT nettoyage essuyez pochoir Roll pour FUJI

Détails du produit

Matériel	pâte de bois 55 % + 45 % polyester
Couleur	Blanc
Poids	56gsm
Taille	Tant que votre demande
Type de	Rouleau
Son utilisation	DEK, FUJIO et ainsi de suite
Échantillon	Échantillon gratuit
Certification	ISO9001, GV, ROHS

Fonctionnalité

1. Fibre de cellulose et polyester.
2. Super solvant, encre, capacité d'absorbenct huile, encre et lourd devoir d'essuyage.
3. excellente performance de protection anti-dissolution, environnementale, bio-dégradable
4. douceur, en essuyant n'endommagera pas la surface de la machine
5. industrial cleaning : nettoyage des pièces électroniques de précision, vérification, matériel de laboratoire, verre, encre et matériel, etc..

Application

Haute surface standard de nettoyage en industrie de transformation, comme le bouchon de vidange de PCB bord, pochoir SMT ou sérigraphie.

YCtek SMT nettoyage essuyez pochoir Roll pour FUJI

YICHEN
DIGITAL PRODUCTS FACTORY

Our Team

Factory

HOW TO BUY
TRADE FLOW



CUSTOMERS NEED TO KNOW

About customer service

If your inquiry didn't be replied in time, maybe because of large amount of consulting, please wait patiently, or maybe system problems, your inquiry was lost etc. If the time is too long, Please contact other lights on customer service, or login back Wangwang, then consult, please forgive any inconvenient by this.

About after-sale

In the process of selling, if clients find quality problems in products, clients can note us, we'll take great care in performing this matter, the cost paid by us; if we find serious quality problems and can't be remedy, clients have right to return quality problems products to us, we must return the cost of the products.

About shipping

Sample lead time: 1-3 days; Mass order production: 7-12 days or negotiated . (By air or by sea depends on clients' choice)