55% cellulosa + 45% poliestere Laminato non tessuto SMT pulizia pulire rotolo stencil

Dettagli prodotto

Materiale	55%Cellulosa + 45% poliestere
Peso	68GSM
Dimensione	Come la vostra richiesta
Colore	Bianco
Core	Plastica/carta
MOQ	100 rotoli
Esempio	Campione gratuito
Porta	Porto di Schang-Hai

Caratteristica

1. Alta assorbente
2. morbidezza
3. Tough e anti-Tirano
4. Clean ed effettui bene
5. anti-statico
6. il formato ed il pacchetto possono essere adattati come vostro requisito
7. Adatto alle macchine di stampa differenti di SMT

Applicazione

1. salviette prive di lanugine nell'industria elettronica e nel laboratorio purificato
2. produzione di apparecchiature ottiche, produzione di fibre leggere
3. stampa industriale dell'acciaio di SMT che pulisce ed attrezzature precise che puliscono
4. trasformazione alimentare e area medicale
5. Manufacturing meccanicamente

55% cellulosa + 45% poliestere stratificato non tessuto SMT pulizia pulire rotolo stencil

SMT Stencil Roll Material

55% wood pulp & 45% polyester

viscose & polyester / parallel

100% polypropylene

viscose & polyester / mesh



YICHEN
DIGITAL PRODUCTS FACTORY

Our Team

Factory

HOW TO BUY
TRADE FLOW



CUSTOMERS NEED TO KNOW

About customer service

If your inquiry didn't be replied in time, maybe because of large amount of consulting, please wait patiently, or maybe system problems, your inquiry was lost etc. If the time is too long, Please contact other lights on customer service, or login back Wangwang, then consult, please forgive any inconvenient by this.

About after-sale

In the process of selling, if clients find quality problems in products, clients can note us, we'll take great care in performing this matter, the cost paid by us; if we find serious quality problems and can't be remedy, clients have right to return quality problems products to us, we must return the cost of the products.

About shipping

Sample lead time: 1-3 days; Mass order production: 7-12 days or negotiated . (By air or by sea depends on clients' choice)