Legno durevole di SMT e sottostencil del poliestere Pulizia Rotolo con alto assorbente per Fuji

Dettagli prodotto:

Materiale	polpa di legno e polyetser
Peso	68GSM
Dimensione	Come la vostra richiesta
Tipo	Roll
Utilizzo	Decrittografia, FUJU e così via
Esempio	Libero
Certificazione	ISO9001, SGS, RoHS
Porta	Shanghai

Caratteristica:

1. generazione bassa della particella
2. nessuna sostanza estraibile
3. Alta assorbente
4. purezza e morbidezza eccellenti
5. Strong e durevole
6. vari formati e modelli sono disponibili

Applicazione:

Le salviette sono particolarmente utilizzati nella pulizia stencil, stagno ridondante su circuito per mantenere il bordo Immacolata in fabbrica elettronica SMT.

Pinter machine	Wipe (width* length)	Core (inner diameter* width)
PANASONIC	350mm×20m	38mm×355mm
	360mm×10m	38mm×360mm
	270mm×10m	38mm×280mm
YAMAHA	410mm×30m	25.5mm×420mm
	350mm×10m	25.5mm×350mm
MINAMI	270mm×5m	8mm×290mm
	350mm×6m	8mm×370mm
EKRA	300mm×8m	13.5mm×300mm
	450mm×8m	13.5mm×450mm
ASKA	350mm×10m	14mm×450mm
	430mm×10m	14mm×450mm
MPM	300mm×10m	19.5mm×455mm
	443mm×10m	19.5mm×455mm
	600mm×10m	19.5mm×615mm
DEK	300mm×10m	20mm×530mm
	500mm×10m	20mm×530mm
SAMSUNG	400mm×7m	20mm×460mm

Durevole SMT Legno e poliestere Rullo di pulizia sottostencil con elevato

assorbente per Fuji

YICHEN
DIGITAL PRODUCTS FACTORY

Our Team

Factory

HOW TO BUY
TRADE FLOW



CUSTOMERS NEED TO KNOW

About customer service

If your inquiry didn't be replied in time, maybe because of large amount of consulting, please wait patiently, or maybe system problems, your inquiry was lost etc. If the time is too long, Please contact other lights on customer service, or login back Wangwang, then consult, please forgive any inconvenient by this.

About after-sale

In the process of selling, if clients find quality problems in products, clients can note us, we'll take great care in performing this matter, the cost paid by us; if we find serious quality problems and can't be remedy, clients have right to return quality problems products to us, we must return the cost of the products.

About shipping

Sample lead time: 1-3 days; Mass order production: 7-12 days or negotiated . (By air or by sea depends on clients' choice)