

Alta assorbente Eccellente morbidezza SMT sottostencil rotolo di pulizia

Dettagli prodotto:

Materiale	55% polpa di legno e 45% poliestere
Dimensione	Come la vostra richiesta
Peso	50gsm
Colore	Bianco
Core	Carta o plastica
MOQ	100 rotoli
Esempio	Campione gratuito
Porta	Shanghai

Caratteristica:

1. generazione bassa della particella
2. nessuna sostanza estraibile
3. alto assorbente
4. purezza e morbidezza eccellenti
5. Strong e durevole
6. vari formati e modelli sono disponibili

Applicazione:

Le salviette sono particolarmente utilizzati nella pulizia stencil, stagno ridondante su circuito per mantenere il bordo Immacolata in fabbrica elettronica SMT.

Alta assorbente eccellente morbidezza SMT sottostencil rotolo di pulizia







YICHEN

DIGITAL PRODUCTS FACTORY



Our Team



Factory



HOW TO BUY/ TRADE FLOW



Trade Assurance

**TRADE WITH CONFIDENCE,
CREDIBLE AND RELIABLE**

Your payment is protected 100% of the Trade Assurance Order Amount if the product quality is not to your satisfaction or if the order is not shipped on time.



About customer service

If your inquiry didn't be replied in time, maybe because of large amount of consulting, please wait patiently, or maybe system problems, your inquiry was lost etc. If the time is too long, Please contact other lights on customer service, or login back Wangwang, then consult, please forgive any inconvenient by this.



About after-sale

In the process of selling, if clients find quality problems in products, clients can note us, we'll take great care in performing this matter, the cost paid by us; if we find serious quality problems and can't be remedy, clients have right to return quality problems products to us, we must return the cost of the products.



About shipping

Sample lead time: 1-3 days; Mass order production: 7-12 days or negotiated . (By air or by sea depends on clients' choice)



Tel: 86-512-50313419
Mob: 86-15895659543
Fax: 86-512-57336236
Email: yc@yichenwipe.cn

Contact Us

Go to the home

WELCOME TO VISIT OUR FACTORY!

