#### **Product Details**

| Material      | 55%cellulose+45%polyester     |  |  |
|---------------|-------------------------------|--|--|
| Weight        | 50gsm,56gsm,68gsm             |  |  |
| Size          | As your demand                |  |  |
| Color         | White                         |  |  |
| Machine       | DEK,MPM,EKRA,MINAMI and so on |  |  |
| Core          | Plastic/paper                 |  |  |
| Sample        | Free sample                   |  |  |
| Certification | ISO9001,SGS,ROHS              |  |  |

# **Feature**

- 1. Cellulose and polyester fiber.
- 2. Super solvent, ink, oil absorbenct ability, wiping ink and heavy duty.
- 3. Excellent performance of anti-dissolution, environmental protection, bio-degradable
- 4. Softness, when wiping won't damage the surface of machine
- 5. Cleaning for electronic precision parts, testing, laboratory equipment, glass, ink and equipment, etc.

## Application

- 1. High standard surface cleaning in processing industry, like the cleanout of PCB board, SMT stencil or silk screen.
- 2.SMT line, semiconductor production, optical products, PCB production, automotive, mobile phone production, medical equipment

| Machine<br>model | Cleaning cloth |            |                       | Internal paper (plastic) roll |            |                       |
|------------------|----------------|------------|-----------------------|-------------------------------|------------|-----------------------|
|                  | Width(mm)      | Length(mm) | External diameter(mm) | Width(mm)                     | Length(mm) | External diameter(mm) |
|                  |                |            |                       |                               |            |                       |
| DEK              | 520            | 10         | 56                    | 530                           | 19.5       | 22                    |
| SANYO            | 275            | 30         | 100                   | 275                           | 38         | 44                    |
| EKRA             | 400            | 8          | 46                    | 390                           | 12         | 16                    |
| MINAMI           | 270            | 7          | 46                    | 270                           | 12         | 16                    |
| PANASENT         | 358            | 12         | 66                    | 360                           | 38         | 44                    |

**Anti-static SMT Stencil Nonwoven Cleaning Cloth Roll for Machine** 











Our Team Factory






















## About customer service

If your inquiry didn't be replied in time, maybe because of large amount of consulting, please wait patiently, or maybe system problems, your inquiry was lost etc. If the time is too long, Please contact other lights on customer service, or login back Wangwang, then consult, please forgive any inconvenient by this.



#### About after-sale

In the process of selling, if clients find quality problems in products, clients can note us, we'll take great care in performing this matter, the cost paid by us; if we find serious quality problems and can't be remedy, clients have right to return quality problems products to us, we must return the cost of the products.



### About shipping

Sample lead time: 1-3 days; Mass order production: 7-12 days or negotiated . (By air or by sea depends on clients' choice)



Tel: 86-512-50313419 Mob: 86-15895659543 Fax: 86-512-57336236 Email: yc@yichenwipe.cn

Contact Us

Go to the home

WELCOME TO VISIT OUR FACTORY!