

Eco friendly **55% Wood pulp 45% Polyester** Spunlace Nonwoven Car Wipes

Product Details

Material	55%woodpulp45%polyester
Size	30cm*35cm
Weight	68gsm
Color	White
Packing	300pcs/box,4boxes/carton
MOQ	20 boxes
Sample	Free sample
Port	Shanghai port

Feature

- 1.Strong detergency,durable,super absorbent of water,oil.
- 2.Available both dry or wet ,widely used in daily industrial cleaning etc.
- 3.Washable and reusable,easy to clean and dry.
- 4.**Low dust, lint-free,anti-static.**

Application

- 1.Daily machinery cleaning and maintenance.
- 2.Tools and parts cleaning.
- 3.Laboratory instrument cleaning.
- 4.Table cleaning,Glassware cleaning.
- 5.Car cleaning.

Eco friendly 55% Wood pulp 45% Polyester Spunlace Nonwoven Car Wipes







YICHEN

DIGITAL PRODUCTS FACTORY




Our Team



Factory



HOW TO BUY TRADE FLOW



Trade Assurance

**TRADE WITH CONFIDENCE,
CREDIBLE AND RELIABLE**

Your payment is protected 100% of the Trade Assurance Order Amount if the product quality is not to your satisfaction or if the order is not shipped on time.



About customer service

If your inquiry didn't be replied in time, maybe because of large amount of consulting, please wait patiently, or maybe system problems, your inquiry was lost etc. If the time is too long, Please contact other lights on customer service, or login back Wangwang, then consult, please forgive any inconvenient by this.



About after-sale

In the process of selling, if clients find quality problems in products, clients can note us, we'll take great care in performing this matter, the cost paid by us; if we find serious quality problems and can't be remedy, clients have right to return quality problems products to us, we must return the cost of the products.



About shipping

Sample lead time: 1-3 days; Mass order production: 7-12 days or negotiated . (By air or by sea depends on clients' choice)



Tel: 86-512-50313419
Mob: 86-15895659543
Fax: 86-512-57336236
Email: yc@yichenwipe.cn

Contact Us

Go to the home

WELCOME TO VISIT OUR FACTORY!