55% celulose de madeira e 45% poliéster seco SMT estêncil Limpeza Rolos

Detalhes do produto:

Material	polpa de madeira de 55% e poliéster de 45%
Peso	56gsm
Tamanho	Como sua demanda
Tipo	Rolo
Uso	Dek, FUJU e assim por diante
Amostra	Livre
Certificação	ISO9001, GV, ROHS
Porto	Xangai

Recurso:

- 1. baixa geração de partículas
- 2. nenhuma substância extraível
- 3 Absorvente elevado

pureza 4. Excellent e softness

5. strong e durável

os tamanhos 6. Various e os testes padrões estão disponíveis

Aplicativo:

As limpezas são usadas especialmente no estêncil da limpeza, estanho redundante na placa de circuito para manter a placa impecável na fábrica eletrônica de SMT.

Tipo: rolo ou folha

Núcleo: núcleos de papel e plásticos, com entalhe ou não

55% polpa de madeira e 45% poliéster seco SMT rolos de limpeza do estêncil











Our Team Factory





















About customer service

If your inquiry didn't be replied in time, maybe because of large amount of consulting, please wait patiently, or maybe system problems, your inquiry was lost etc. If the time is too long, Please contact other lights on customer service, or login back Wangwang, then consult, please forgive any inconvenient by this.



About after-sale

In the process of selling, if clients find quality problems in products, clients can note us, we'll take great care in performing this matter, the cost paid by us; if we find serious quality problems and can't be remedy, clients have right to return quality problems products to us, we must return the cost of the products.



About shipping

Sample lead time: 1-3 days; Mass order production: 7-12 days or negotiated . (By air or by sea depends on clients' choice)



Tel: 86-512-50313419 Mob: 86-15895659543 Fax: 86-512-57336236 Email: yc@yichenwipe.cn

Contact Us

Go to the home

WELCOME TO VISIT OUR FACTORY!