

Spunlace eletrônico poliéster seco de Viscose [Toalhetes para salas limpas](#)

produtos Detalhes

Material	Viscose + poliéster
Tamanho	25cm * 25cm
Cor	Branco
Peso	35gsm
Embalagem	100 pçs / saco, 30 sacos / caixa
MOQ	30 sacos
Amostra	Livre
Porta	Xangai

Característica

- 1.[Alta água e óleo absorvente e durável.](#)
 - 2.Lint livre, partículas e íons baixos.
 - 3.Não ligantes químicos, resistência química.
 - 4.Bom capacidade de remover contaminação.
- Superfícies muito macias e limpas, sem arranhar.

Aplicação

Facilidades da sala 1.Clean.

Limpeza 2.General na linha de produção

Limpeza 3.Superior para LCD-TFT e LCD-CSTN & Tela de TV de plasma.

Spunlace eletrônico poliéster seco de Viscose [Toalhetes para salas limpas](#)







YICHEN

DIGITAL PRODUCTS FACTORY




Our Team



Factory



HOW TO BUY TRADE FLOW



Trade Assurance

**TRADE WITH CONFIDENCE,
CREDIBLE AND RELIABLE**

Your payment is protected 100% of the Trade Assurance Order Amount if the product quality is not to your satisfaction or if the order is not shipped on time.



About customer service

If your inquiry didn't be replied in time, maybe because of large amount of consulting, please wait patiently, or maybe system problems, your inquiry was lost etc. If the time is too long, Please contact other lights on customer service, or login back Wangwang, then consult, please forgive any inconvenient by this.



About after-sale

In the process of selling, if clients find quality problems in products, clients can note us, we'll take great care in performing this matter, the cost paid by us; if we find serious quality problems and can't be remedy, clients have right to return quality problems products to us, we must return the cost of the products.



About shipping

Sample lead time: 1-3 days; Mass order production: 7-12 days or negotiated . (By air or by sea depends on clients' choice)



Tel: 86-512-50313419
Mob: 86-15895659543
Fax: 86-512-57336236
Email: yc@yichenwipe.cn

Contact Us

Go to the home

WELCOME TO VISIT OUR FACTORY!